



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT5210005
SITENAME Gola del Corno di Catria

TABLE OF CONTENTS

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- 5. SITE PROTECTION STATUS
- 6. SITE MANAGEMENT
- 7. MAP OF THE SITE

1. SITE IDENTIFICATION

1.1 Type	1.2 Site code	Back to top
B	IT5210005	

1.3 Site name

Gola del Corno di Catria

1.4 First Compilation date	1.5 Update date
1995-06	2022-12

1.6 Respondent:

Name	Regione Umbria Direzione Agricoltura e Foreste Servizio XI Promozione e Valorizzazione Sistemi Naturalistici e
/Organisation:	Paesaggistici
Address:	Via M. Angeloni - 06124 Perugia
Email:	

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2014-08
National legal reference of SAC designation:	DM 07/08/2014 - G.U. 194 del 22-08-2014

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

Longitude 12.725 Latitude 43.425

[Back to top](#)

2.2 Area [ha]:

715.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name
ITE2	Umbria

2.6 Biogeographical Region(s)

Continental (100.0 %)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
5110			2.15			B	C	B	B
6210			104.39			A	C	B	A
8210			47.91			A	C	A	A
9210			125.13			A	C	B	B
92A0			2.86			A	C	B	C
9340			2.86			D			

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A085	Accipiter gentilis								DD				
B	A086	Accipiter nisus								DD				
B	A324	Aegithalos caudatus								DD				
B	A247	Alauda arvensis								DD				
B	A229	Alcedo atthis			r				P	DD	C	C	C	C
B	A229	Alcedo atthis			w				P	DD	C	C	C	C
B	A229	Alcedo atthis			p				P	DD	C	C	C	C
B	A109	Alectoris graeca			r	1	5	p		G	C	C	A	B

B	A109	Alectoris graeca			p	1	5	p		G	C	C	A	B
B	A255	Anthus campestris			r				V	DD	C	C	A	C
B	A259	Anthus spinoletta								DD				
B	A256	Anthus trivialis								DD				
B	A226	Apus apus								DD				
B	A091	Aquila chrysaetos			r	1	1	p		G	C	B	C	B
B	A091	Aquila chrysaetos			p				V	DD	C	B	C	B
B	A221	Asio otus								DD				
B	A218	Athene noctua								DD				
F	5097	Barbus tyberinus			p				P	DD	C	C	C	C
B	A215	Bubo bubo			p				P	DD	C	B	A	C
B	A087	Buteo buteo								DD				
M	1352	Canis lupus			p				R	DD	C	B	C	B
B	A224	Caprimulgus europaeus			r				P	DD	B	B	C	C
B	A364	Carduelis carduelis								DD				
I	1088	Cerambyx cerdo			p				P	DD	C	B	C	B
B	A335	Certhia brachydactyla								DD				
B	A288	Cettia cetti								DD				
B	A363	Chloris chloris								DD				
B	A264	Cinclus cinclus								DD				
B	A084	Circus pygargus			r				P	DD	C	C	A	C
B	A373	Coccothraustes coccothraustes								DD				
B	A208	Columba palumbus								DD				
B	A349	Corvus corone								DD				
B	A347	Corvus monedula								DD				
F	1163	Cottus gobio			p				P	DD	D			
B	A113	Coturnix coturnix								DD				
B	A212	Cuculus canorus								DD				
B	A483	Cyanistes caeruleus								DD				
B	A738	Delichon urbicum								DD				
B	A237	Dendrocopos major								DD				
B	A869	Dryobates minor								DD				
B	A383	Emberiza calandra								DD				
B	A378	Emberiza cia								DD				
B	A377	Emberiza cirius								DD				
B	A376	Emberiza citrinella								DD				
B	A269	Erithacus rubecula								DD				
B	A103	Falco peregrinus			r	1	5	p		G	C	B	C	C
B	A103	Falco peregrinus			p				P	DD	C	B	C	C
B	A099	Falco subbuteo			c				P	DD	C	A	C	A
B	A096	Falco tinnunculus								DD				
B	A359	Fringilla coelebs								DD				
B	A342	Garrulus glandarius								DD				
B	A233	Jynx torquilla								DD				
B	A338	Lanius collurio			r				P	DD	C	B	B	B
B	A476	Linaria cannabina								DD				

I	1083	Lucanus cervus			p				P	DD	C	B	C	B
B	A246	Lullula arborea			w				P	DD	C	B	C	B
B	A246	Lullula arborea			p				P	DD	C	B	C	B
B	A246	Lullula arborea			r				P	DD	C	B	C	B
B	A271	Luscinia megarhynchos								DD				
B	A261	Motacilla cinerea								DD				
B	A277	Oenanthe oenanthe								DD				
B	A330	Parus major								DD				
B	A356	Passer montanus								DD				
B	A473	Periparus ater								DD				
B	A273	Phoenicurus ochruros			c				P	DD	C	A	C	A
B	A274	Phoenicurus phoenicurus								DD				
B	A499	Phylloscopus bonelli								DD				
B	A572	Phylloscopus collybita								DD				
B	A314	Phylloscopus sibilatrix								DD				
B	A866	Picus viridis								DD				
B	A493	Poecile palustris								DD				
B	A267	Prunella collaris								DD				
B	A266	Prunella modularis								DD				
B	A250	Ptyonoprogne rupestris			r				P	DD	C	A	C	A
B	A345	Pyrrhonorax graculus								DD				
B	A346	Pyrrhonorax pyrrhonorax			r	6	10	p		G	B	A	A	B
B	A346	Pyrrhonorax pyrrhonorax			p	6	10	p		G	B	A	A	B
B	A372	Pyrrhula pyrrhula								DD				
B	A318	Regulus ignicapilla								DD				
I	1087	Rosalia alpina			p				P	DD	C	B	C	B
F	1136	Rutilus rubilio			p				R	DD	D			
A	1175	Salamandrina terdigitata			p				R	DD	C	B	C	C
B	A276	Saxicola torquatus								DD				
B	A361	Serinus serinus								DD				
B	A332	Sitta europaea								DD				
B	A210	Streptopelia turtur								DD				
B	A219	Strix aluco								DD				
B	A311	Sylvia atricapilla								DD				
B	A309	Sylvia communis								DD				
B	A228	Tachymarptis melba								DD				
F	5331	Telestes muticellus			p				C	DD	C	C	C	C
B	A333	Tichodroma muraria								DD				
B	A265	Troglodytes troglodytes								DD				
B	A283	Turdus merula								DD				
B	A285	Turdus philomelos								DD				
B	A287	Turdus viscivorus								DD				
B	A213	Tyto alba								DD				
B	A232	Upupa epops								DD				

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

[illegible]

M		Sciurus vulgaris						P					X	
I		Sericostoma cianficconii						P				X		
M		Sorex samniticus						P			X			
A		Speleomantes italicus						P	X					
R	6091	Zamenis longissimus						P	X				X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N16	47.0
N23	1.0
N20	1.0
N18	1.0
N22	20.0
N09	10.0
N08	10.0
N06	5.0
N10	5.0
Total Habitat Cover	100

Other Site Characteristics

Balze rocciose di natura calcarea che, nel tratto inferiore, formano una stretta gola dove, oltre agli habitat segnalati con codice ed attribuiti a: Prunetalia spinosae (5130), Saxifrago australis-Trisetetum bertolonii (8213), Orno-Quercetum ilicis (9340), Asperulo purpureae-Brometum erecti e Brizo mediae-Brometum erecti (6210), Saponario-Salicetum purpureae (92A0) e Polysticho-Fagetum (9210), si rinvencono anche boschi cedui a Quercus pubescens (91H0) o ad Ostrya carpinifolia, dell'associazione Scutellario-Ostryetum e, nel fondovalle, piccoli lembi di bosco a Carpinus betulus dell'associazione Carpino betuli-Coryletum avellanae.

4.2 Quality and importance

Il sito costituisce un ottimo campione delle gole calcaree tipiche dell'Appennino umbro-marchigiano, sia da un punto di vista geomorfologico che floristico-vegetazionale. Di particolare importanza per l'estensione, la completezza floristica ed il buon stato di conservazione, sono le cenosi del Saxifrago australis-Trisetetum bertolonii. Di rilievo sono anche le cenosi semirupestri a Buxus sempervirens. L'area presenta, inoltre, un basso grado di antropizzazione. Tra le specie floristiche, dove numerosi sono gli endemismi, è segnalata Leopoldia tenuiflora, rara a livello nazionale, qui presente in una delle due stazioni conosciute per l'Umbria. Tra la fauna da segnalare Coronella austriaca (specie vulnerabile).

4.3 Threats, pressures and activities with impacts on the site

4.4 Ownership (optional)

Type		[%]
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	100
Joint or Co-Ownership		0
Private		0

Unknown	0
sum	100

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT04	100.0	IT13	100.0		

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regione Umbria
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: DGR N. 344/2012
	Link: <input type="text"/>
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:	<input type="text"/>
-------------	----------------------

Map delivered as PDF in electronic format (optional)

<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
------------------------------	--

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

116 II° NO - 116 II° 1:25000 Gauss-Boaga
--