



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT5210018
SITENAME Lago Trasimeno

TABLE OF CONTENTS

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- 5. SITE PROTECTION STATUS
- 6. SITE MANAGEMENT
- 7. MAP OF THE SITE

1. SITE IDENTIFICATION

| | | |
|----------|---------------|-----------------------------|
| 1.1 Type | 1.2 Site code | Back to top |
| B | IT5210018 | |

1.3 Site name

| |
|----------------|
| Lago Trasimeno |
|----------------|

| | |
|----------------------------|-----------------|
| 1.4 First Compilation date | 1.5 Update date |
| 1995-06 | 2022-12 |

1.6 Respondent:

| | |
|----------------|--|
| Name | Regione Umbria Direzione Agricoltura e Foreste Servizio XI Promozione e Valorizzazione Sistemi Naturalistici e |
| /Organisation: | Paesaggistici |
| Address: | Via M. Angeloni - 06124 Perugia |
| Email: | |

1.7 Site indication and designation / classification dates

| | |
|--|---|
| Date site classified as SPA: | 0000-00 |
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 1995-06 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2014-08 |
| National legal reference of SAC designation: | DM 07/08/2014 - G.U. 194 del 22-08-2014 |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

Longitude 12.103611 Latitude 43.136944

[Back to top](#)

2.2 Area [ha]:

2.3 Marine area [%]

14199.0

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITE2

Umbria

2.6 Biogeographical Region(s)

Mediterranean (100.0 %)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 3130 | | | 14.2 | | | B | C | B | B |
| 3140 | | | 14.2 | | | A | B | A | A |
| 3150 | | | 11927.16 | | | A | C | A | A |
| 3270 | | | 14.2 | | | A | C | B | B |
| 3290 | | | 14.2 | | | D | | | |
| 6420 | | | 14.2 | | | A | C | B | B |
| 6430 | | | 14.2 | | | A | C | B | B |
| 6510 | | | 14.2 | | | D | | | |
| 92A0 | | | 42.6 | | | B | C | C | B |
| 9340 | | | 14.2 | | | B | C | A | A |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

[illegible]

[illegible]

| | | | | | | | | | | | | | | |
|---|------|--|--|--|---|----|-----|---|---|----|---|---|---|---|
| B | A136 | Charadrius dubius | | | c | | | | P | DD | C | A | C | A |
| B | A137 | Charadrius hiaticula | | | c | | | | P | DD | C | A | C | A |
| B | A734 | Chlidonias hybrida | | | c | | | | P | DD | D | | | |
| B | A198 | Chlidonias leucopterus | | | | | | | | DD | | | | |
| B | A197 | Chlidonias niger | | | c | | | | P | DD | D | | | |
| B | A363 | Chloris chloris | | | | | | | | DD | | | | |
| B | A031 | Ciconia ciconia | | | c | | | | P | DD | D | | | |
| B | A030 | Ciconia nigra | | | c | | | | P | DD | D | | | |
| B | A080 | Circetus gallicus | | | r | 1 | 5 | p | | G | C | C | B | C |
| B | A081 | Circus aeruginosus | | | w | | | | P | DD | C | C | C | C |
| B | A082 | Circus cyaneus | | | w | | | | P | DD | C | C | C | C |
| B | A084 | Circus pygargus | | | r | | | | P | DD | C | C | A | C |
| B | A289 | Cisticola juncidis | | | r | | | | P | DD | C | A | C | A |
| F | 5304 | Cobitis bilineata | | | p | | | | P | DD | C | C | C | C |
| B | A373 | Coccothraustes coccothraustes | | | | | | | | DD | | | | |
| B | A208 | Columba palumbus | | | | | | | | DD | | | | |
| B | A231 | Coracias garrulus | | | c | | | | P | DD | D | | | |
| B | A349 | Corvus corone | | | | | | | | DD | | | | |
| B | A347 | Corvus monedula | | | | | | | | DD | | | | |
| B | A113 | Coturnix coturnix | | | | | | | | DD | | | | |
| B | A212 | Cuculus canorus | | | | | | | | DD | | | | |
| B | A480 | Cyanecula svecica | | | c | | | | P | DD | D | | | |
| B | A483 | Cyanistes caeruleus | | | | | | | | DD | | | | |
| B | A036 | Cygnus olor | | | | | | | | DD | | | | |
| B | A738 | Delichon urbicum | | | | | | | | DD | | | | |
| B | A237 | Dendrocopos major | | | | | | | | DD | | | | |
| B | A026 | Egretta garzetta | | | r | 51 | 100 | p | | G | C | C | A | B |
| B | A026 | Egretta garzetta | | | w | | | | P | DD | C | C | A | B |
| R | 1279 | Elaphe quatuorlineata | | | p | | | | P | DD | D | | | |
| B | A383 | Emberiza calandra | | | | | | | | DD | | | | |
| B | A377 | Emberiza cirrus | | | | | | | | DD | | | | |
| B | A381 | Emberiza schoeniclus | | | w | | | | P | DD | C | A | C | A |
| B | A269 | Erithacus rubecula | | | | | | | | DD | | | | |
| B | A101 | Falco biarmicus | | | p | | | | P | DD | C | B | A | B |
| B | A098 | Falco columbarius | | | w | | | | P | DD | C | C | A | C |
| B | A103 | Falco peregrinus | | | p | | | | P | DD | C | B | C | C |
| B | A099 | Falco subbuteo | | | | | | | | DD | | | | |
| B | A096 | Falco tinnunculus | | | | | | | | DD | | | | |
| B | A097 | Falco vespertinus | | | c | | | | P | DD | D | | | |
| B | A321 | Ficedula albicollis | | | r | | | | P | DD | D | | | |
| B | A322 | Ficedula hypoleuca | | | | | | | | DD | | | | |
| B | A359 | Fringilla coelebs | | | | | | | | DD | | | | |
| B | A125 | Fulica atra | | | p | | | | P | DD | C | A | C | A |
| B | A244 | Galerida cristata | | | | | | | | DD | | | | |
| B | A153 | Gallinago gallinago | | | w | | | | P | DD | C | A | C | A |
| B | A154 | Gallinago media | | | c | | | | P | DD | D | | | |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|---|----|-----|---|---|----|---|---|---|---|
| B | A123 | Gallinula chloropus | | | p | | | | P | DD | C | A | C | A |
| B | A342 | Garrulus glandarius | | | | | | | | DD | | | | |
| B | A002 | Gavia arctica | | | w | | | | P | DD | D | | | |
| B | A130 | Haematopus ostralegus | | | | | | | | DD | | | | |
| B | A131 | Himantopus himantopus | | | r | 1 | 5 | p | | G | C | C | A | C |
| B | A300 | Hippolais polyglotta | | | | | | | | DD | | | | |
| B | A251 | Hirundo rustica | | | | | | | | DD | | | | |
| B | A862 | Hydrocoloeus minutus | | | c | | | | P | DD | D | | | |
| B | A894 | Hydroprogne caspia | | | w | 1 | 5 | i | | G | D | | | |
| B | A022 | Ixobrychus minutus | | | r | 11 | 50 | p | | G | C | B | B | B |
| B | A233 | Jynx torquilla | | | | | | | | DD | | | | |
| B | A338 | Lanius collurio | | | r | | | | P | DD | C | B | B | B |
| B | A340 | Lanius excubitor | | | | | | | | DD | | | | |
| B | A341 | Lanius senator | | | | | | | | DD | | | | |
| B | A459 | Larus cachinnans | | | | | | | | DD | | | | |
| B | A179 | Larus ridibundus | | | c | | | | P | DD | C | A | C | A |
| B | A157 | Limosa lapponica | | | c | | | | P | DD | D | | | |
| B | A156 | Limosa limosa | | | c | | | | P | DD | C | A | C | A |
| B | A476 | Linaria cannabina | | | | | | | | DD | | | | |
| I | 1043 | Lindenia tetraphylla | | | p | | | | P | DD | D | | | |
| B | A292 | Locustella luscinioides | | | | | | | | DD | | | | |
| B | A290 | Locustella naevia | | | | | | | | DD | | | | |
| I | 1083 | Lucanus cervus | | | p | | | | P | DD | C | B | C | B |
| B | A271 | Luscinia megarhynchos | | | | | | | | DD | | | | |
| B | A152 | Lymnocyptes minimus | | | | | | | | DD | | | | |
| B | A855 | Mareca penelope | | | c | | | | P | DD | C | A | C | A |
| B | A889 | Mareca strepera | | | c | | | | P | DD | C | A | C | A |
| B | A767 | Mergellus albellus | | | w | | | | P | DD | D | | | |
| B | A069 | Mergus serrator | | | | | | | | DD | | | | |
| B | A230 | Merops apiaster | | | | | | | | DD | | | | |
| B | A073 | Milvus migrans | | | r | 1 | 5 | p | | G | C | B | A | C |
| B | A281 | Monticola solitarius | | | | | | | | DD | | | | |
| B | A262 | Motacilla alba | | | | | | | | DD | | | | |
| B | A261 | Motacilla cinerea | | | c | | | | P | DD | C | A | C | A |
| B | A260 | Motacilla flava | | | c | | | | P | DD | C | A | C | A |
| B | A319 | Muscicapa striata | | | | | | | | DD | | | | |
| M | 1307 | Myotis blythii | | | p | | | | R | DD | D | | | |
| M | 1316 | Myotis capaccinii | | | p | | | | R | DD | C | B | C | B |
| M | 1321 | Myotis emarginatus | | | p | | | | R | DD | C | B | C | B |
| M | 1324 | Myotis myotis | | | p | | | | R | DD | D | | | |
| B | A058 | Netta rufina | | | | | | | | DD | | | | |
| B | A768 | Numenius arquata arquata | | | | | | | | DD | | | | |
| B | A023 | Nycticorax nycticorax | | | r | 51 | 100 | p | | G | B | B | B | B |
| B | A337 | Oriolus oriolus | | | | | | | | DD | | | | |
| B | A094 | Pandion haliaetus | | | w | | | | P | DD | D | | | |
| B | A094 | Pandion haliaetus | | | c | | | | P | DD | D | | | |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|---|----|----|---|---|----|---|---|---|---|
| B | A323 | Panurus biarmicus | | | | | | | | DD | | | | |
| B | A330 | Parus major | | | | | | | | DD | | | | |
| B | A356 | Passer montanus | | | | | | | | DD | | | | |
| B | A473 | Periparus ater | | | | | | | | DD | | | | |
| B | A017 | Phalacrocorax carbo | | | c | | | | P | DD | C | A | C | A |
| B | A115 | Phasianus colchicus | | | | | | | | DD | | | | |
| B | A035 | Phoenicopterus ruber | | | | | | | | DD | | | | |
| B | A273 | Phoenicurus ochruros | | | | | | | | DD | | | | |
| B | A274 | Phoenicurus phoenicurus | | | | | | | | DD | | | | |
| B | A499 | Phylloscopus bonelli | | | | | | | | DD | | | | |
| B | A572 | Phylloscopus collybita | | | w | | | | P | DD | C | A | C | A |
| B | A314 | Phylloscopus sibilatrix | | | | | | | | DD | | | | |
| B | A316 | Phylloscopus trochilus | | | | | | | | DD | | | | |
| B | A343 | Pica pica | | | | | | | | DD | | | | |
| B | A866 | Picus viridis | | | | | | | | DD | | | | |
| B | A034 | Platalea leucorodia | | | c | 6 | 10 | i | | G | D | | | |
| B | A032 | Plegadis falcinellus | | | c | 11 | 50 | i | | G | D | | | |
| B | A140 | Pluvialis apricaria | | | c | | | | P | DD | D | | | |
| B | A141 | Pluvialis squatarola | | | | | | | | DD | | | | |
| B | A007 | Podiceps auritus | | | c | | | | P | DD | D | | | |
| B | A005 | Podiceps cristatus | | | | | | | | DD | | | | |
| B | A006 | Podiceps grisegena | | | | | | | | DD | | | | |
| B | A008 | Podiceps nigricollis | | | | | | | | DD | | | | |
| B | A119 | Porzana porzana | | | c | | | | P | DD | D | | | |
| B | A266 | Prunella modularis | | | | | | | | DD | | | | |
| B | A118 | Rallus aquaticus | | | w | | | | P | DD | C | A | C | A |
| B | A132 | Recurvirostra avosetta | | | c | 1 | 5 | p | | G | D | | | |
| B | A318 | Regulus ignicapilla | | | | | | | | DD | | | | |
| B | A317 | Regulus regulus | | | | | | | | DD | | | | |
| B | A336 | Remiz pendulinus | | | | | | | | DD | | | | |
| B | A249 | Riparia riparia | | | | | | | | DD | | | | |
| F | 1136 | Rutilus rubilio | | | p | | | | R | DD | D | | | |
| A | 1175 | Salamandrina terdigitata | | | p | | | | P | DD | D | | | |
| B | A275 | Saxicola rubetra | | | | | | | | DD | | | | |
| B | A276 | Saxicola torquatus | | | | | | | | DD | | | | |
| B | A361 | Serinus serinus | | | | | | | | DD | | | | |
| B | A332 | Sitta europaea | | | | | | | | DD | | | | |
| B | A857 | Spatula clypeata | | | c | | | | P | DD | C | A | C | A |
| B | A856 | Spatula querquedula | | | c | | | | P | DD | C | A | C | A |
| B | A478 | Spinus spinus | | | | | | | | DD | | | | |
| B | A193 | Sterna hirundo | | | c | 1 | 5 | i | | G | D | | | |
| B | A885 | Sternula albifrons | | | c | 1 | 5 | i | | G | D | | | |
| B | A209 | Streptopelia decaocto | | | | | | | | DD | | | | |
| B | A210 | Streptopelia turtur | | | | | | | | DD | | | | |
| B | A219 | Strix aluco | | | | | | | | DD | | | | |
| B | A351 | Sturnus vulgaris | | | | | | | | DD | | | | |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|---|--|--|--|---|----|---|---|---|---|
| B | A311 | Sylvia atricapilla | | | | | | | | DD | | | | |
| B | A310 | Sylvia borin | | | | | | | | DD | | | | |
| B | A304 | Sylvia cantillans | | | | | | | | DD | | | | |
| B | A309 | Sylvia communis | | | | | | | | DD | | | | |
| B | A574 | Sylvia curruca | | | | | | | | DD | | | | |
| B | A305 | Sylvia melanocephala | | | | | | | | DD | | | | |
| B | A004 | Tachybaptus ruficollis | | | p | | | | P | DD | C | A | C | A |
| B | A397 | Tadorna ferruginea | | | c | | | | P | DD | D | | | |
| B | A048 | Tadorna tadorna | | | | | | | | DD | | | | |
| R | 1217 | Testudo hermanni | | | p | | | | P | DD | D | | | |
| B | A161 | Tringa erythropus | | | c | | | | P | DD | C | A | C | A |
| B | A166 | Tringa glareola | | | c | | | | P | DD | D | | | |
| B | A164 | Tringa nebularia | | | c | | | | P | DD | C | A | C | A |
| B | A165 | Tringa ochropus | | | c | | | | P | DD | C | A | C | A |
| B | A163 | Tringa stagnatilis | | | | | | | | DD | | | | |
| B | A162 | Tringa totanus | | | c | | | | P | DD | C | A | C | A |
| A | 1167 | Triturus carnifex | | | p | | | | R | DD | C | C | C | C |
| B | A265 | Troglodytes troglodytes | | | | | | | | DD | | | | |
| B | A286 | Turdus iliacus | | | | | | | | DD | | | | |
| B | A283 | Turdus merula | | | | | | | | DD | | | | |
| B | A285 | Turdus philomelos | | | | | | | | DD | | | | |
| B | A287 | Turdus viscivorus | | | | | | | | DD | | | | |
| B | A213 | Tyto alba | | | | | | | | DD | | | | |
| B | A232 | Upupa epops | | | | | | | | DD | | | | |
| B | A142 | Vanellus vanellus | | | w | | | | P | DD | C | A | C | A |
| B | A892 | Zapornia parva | | | r | | | | P | DD | D | | | |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|-------------------------------------|---|----|------------------------|-----|------|---------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| I | | Agrypnia varia | | | | | | P | | | | | | X |
| F | | Anguilla anguilla | | | | | | P | | | X | | | |
| R | | Anguis fragilis | | | | | | P | | | | | X | |
| I | | Anodonta anatina | | | | | | P | | | | | | X |
| P | | Azolla filiculoides | | | | | | P | | | X | | | |
| A | | Bufo bufo | | | | | | P | | | | | X | |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|--|--|--|---|---|---|---|---|---|---|
| P | | Caldesia parnassifolia | | | | | | P | | | | | | X |
| M | | Capreolus capreolus | | | | | | P | | | | | X | |
| P | | Carex pseudocyperus | | | | | | P | | | | | | X |
| I | | Ceraclea fulva | | | | | | P | | | | | | X |
| P | | Ceratophyllum demersum | | | | | | P | | | | | | X |
| I | | Ceriagrion tenellum | | | | | | P | | | X | | | |
| R | | Chalcides chalcides | | | | | | P | | | | | X | |
| R | 1283 | Coronella austriaca | | | | | | P | X | | | | | |
| M | | Crocidura leucodon | | | | | | P | | | | | X | |
| M | | Crocidura suaveolens | | | | | | P | | | | | X | |
| M | | Dama dama | | | | | | P | | | | | X | |
| P | | Dracunculus vulgaris | | | | | | P | | | | | | X |
| P | | Elatine alsinastrum | | | | | | P | | | | X | | |
| M | | Eliomys quercinus | | | | | | P | | | | | X | |
| M | | Erinaceus europaeus | | | | | | P | | | | | X | |
| F | | Esox lucius | | | | | | P | | | X | | | |
| I | | Ferrissia wautieri | | | | | | P | | | | | | X |
| I | | Glyphotaelius pellucidus | | | | | | P | | | | | | X |
| R | 5670 | Hierophis viridiflavus | | | | | | P | | | | | X | |
| P | | Hydrocotyle vulgaris | | | | | | P | | | | X | | |
| A | 5358 | Hyla intermedia | | | | | | P | | | | | X | |
| M | 5365 | Hypsugo savii | | | | | | P | | | | | X | |
| M | 1344 | Hystrix cristata | | | | | | P | X | | | | | |
| P | | Iris pseudacorus | | | | | | P | | | | X | | |
| I | | Ischnura pumilio | | | | | | P | | | X | | | |
| P | | Juncus acutus | | | | | | P | | | | X | | |
| R | 5179 | Lacerta bilineata | | | | | | P | | | | | X | |
| P | | Laphangium luteoalbum | | | | | | P | | | | | | X |
| P | | Lemna trisulca | | | | | | P | | | | X | | |
| M | | Lepus europaeus / corsicanus | | | | | | P | | | | | X | |
| F | | Leuciscus cephalus | | | | | | P | | | | | X | |
| I | | Libellula depressa | | | | | | P | | | X | | | |
| M | | Martes foina | | | | | | P | | | | | X | |
| M | | Meles meles | | | | | | P | | | | | X | |
| M | | Micromys minutus | | | | | | P | | | X | | | |
| M | | Microtus savii | | | | | | P | | | | | X | |
| M | 1341 | Muscardinus avellanarius | | | | | | P | X | | | | | |
| M | | Mustela nivalis | | | | | | P | | | | | X | |
| M | 1358 | Mustela putorius | | | | | | P | | X | | | | |
| M | | Myodes glareolus | | | | | | P | | | | | X | |
| M | 1314 | Myotis daubentonii | | | | | | P | X | | | | | |
| P | | Najas marina | | | | | | P | | | | X | | |
| P | | Najas minor | | | | | | P | | | | X | | |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|--|--|--|---|---|---|---|---|---|---|
| R | | Natrix natrix | | | | | | P | | | | | X | |
| R | 1292 | Natrix tessellata | | | | | | P | X | | | | | |
| M | | Neomys fodiens | | | | | | P | | | X | | | |
| M | 1331 | Nyctalus leisleri | | | | | | P | X | | | | | |
| P | | Nymphaea alba | | | | | | P | | | | | | X |
| I | | Oecetis lacustris | | | | | | P | | | | | | X |
| I | | Orthetrum brunneum | | | | | | P | | | X | | | |
| B | A621 | Passer italiae | | | | | | P | | | | X | | |
| P | | Persicaria amphibi | | | | | | P | | | | | | X |
| M | 2016 | Pipistrellus kuhlii | | | | | | P | X | | | | | |
| M | 1309 | Pipistrellus pipistrellus | | | | | | P | X | | | | | |
| M | 1329 | Plecotus austriacus | | | | | | P | X | | | | | |
| R | 1256 | Podarcis muralis | | | | | | P | X | | | | | |
| R | 1250 | Podarcis siculus | | | | | | P | X | | | | | |
| P | | Potamogeton pectinatus | | | | | | P | | | | | | X |
| P | | Potamogeton perfoliatus | | | | | | P | | | | | | X |
| I | | Potamon fluviatile | | | | | | P | | | X | | | |
| A | | Rana bergeri / Rana klepton hispanica | | | | | | P | | | | | X | |
| A | 1209 | Rana dalmatina | | | | | | P | X | | | | | |
| A | 1206 | Rana italica | | | | | | P | X | | | | | |
| P | | Ranunculus lingua | | | | | | P | | | | X | | |
| P | | Salvinia natans | | | | | | P | | | | X | | |
| F | | Scardinius erythrophthalmus | | | | | | P | | | | | X | |
| P | | Schoenoplectus lacustris | | | | | | P | | | | X | | |
| P | | Schoenoplectus tabernaemontani | | | | | | P | | | | X | | |
| M | | Sciurus vulgaris | | | | | | P | | | | | X | |
| I | | Selysiothemis nigra | | | | | | P | | | X | | | |
| I | | Simocephalus serrulatus | | | | | | P | | | X | | | |
| M | | Sorex samniticus | | | | | | P | | | X | | | |
| P | | Spirodela polyrhiza | | | | | | P | | | | X | | |
| M | | Suncus etruscus | | | | | | P | | | X | | | |
| M | | Talpa romana | | | | | | P | | | X | | | |
| F | | Tinca tinca | | | | | | P | | | | | X | |
| I | | Tinodes antionoi | | | | | | P | | | | X | | |
| P | | Trifolium suffocatum | | | | | | P | | | | | | X |
| A | | Triturus vulgaris | | | | | | P | | | | | X | |
| I | 1033 | Unio elongatulus | | | | | | P | | X | | | | |
| P | | Utricularia australis | | | | | | P | | | | | | X |
| P | | Utricularia minor | | | | | | P | | | | | | X |
| P | | Vallisneria spiralis | | | | | | P | | | | | | X |
| R | | Vipera aspis | | | | | | P | | | | | X | |
| R | 6091 | Zamenis longissimus | | | | | | P | X | | | | X | |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|---------------------|---------|
| N12 | 2.0 |
| N21 | 2.0 |
| N06 | 50.0 |
| N16 | 1.0 |
| N07 | 30.0 |
| N18 | 3.0 |
| N08 | 1.0 |
| N10 | 4.0 |
| N23 | 5.0 |
| N09 | 1.0 |
| N20 | 1.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Lago laminare in fase di senescenza al cui interno si trovano anche tre isole (Maggiore, Minore e Polvese). Il Trasimeno, con i suoi 126 Km² è il più grande lago dell'Italia peninsulare ed il quarto italiano. La sua origine è dovuta allo scodellamento delle acque dell'antico bacino lacustre della Valdichiana in quello del Trasimeno, avvenuto in seguito a movimenti tettonici inerenti l'ultima fase dell'orogenesi appenninica. Presenta un emissario ed un immissario artificiali ed un bacino imbrifero di appena 270 Km². Gli habitat segnalati con codice sono attribuiti alla classe Charetea fragilis (3140); alle associazioni di idrofite natanti e sommerso Hydrocharitetum morsus ranae, Lemnetum minoris, Lemnetum gibbae, Lemno-Spyrodeletum polyrrhizae, Salvinio-Spirodeletum polyrrhizae, Riccietum fluitantis, Potamogetonetum lucentis nymphaetosum e Potamogeto-Ceratophylletum demersii (3150); all'associazione dei prati umidi e palustri Holoschoenetum (6420). Inoltre, nel sito sono presenti le associazioni elofitiche Phragmitetum australis, Typhetum angustifoliae, Scirpetum maritimi, Scirpetum lacustris; e quella dei prati umidi Caricetum ripariae. Sulle isole, oltre ai pascoli terofitici a Trifolium cherleri (6220), sono diffuse leccete dell'associazione Orno-Quercetum ilicis e Viburno-Quercetum ilicis (9340). Di particolare interesse ecologico, biologico e naturalistico sono gli aggallati caratterizzati da Carex pseudocyperus ed inquadrati nell'associazione Mentho aquaticae-Caricetum pseudocyperi. Si segnala l'accertata estinzione del Rutilus rubilio.

4.2 Quality and importance

Area di eccezionale valore geobotanico (per numero e rarità delle entità floristiche e delle associazioni vegetali) e naturalistico (per il buono stato di conservazione dell'ambiente). In particolare, assumono rilievo: i vasti canneti, che orlano gran parte delle sponde; la ricca vegetazione idrofítica natante e sommersa, composta da oltre 15 associazioni vegetali; la presenza di aggallati del Mentho aquaticae-Caricetum pseudocyperi, presente solo in pochi laghi dell'Italia centrale; i boschi a Quercus ilex con Quercus cerris, sviluppati su substrati non carbonatici, che vicariano le leccete con Ostrya carpinifolia diffuse sui calcari dell'Appennino umbro-marchigiano. Di notevole pregio è anche la flora del lago e delle isole che, tra le specie più interessanti annovera: Ranunculus lingua, Hydrocotyle vulgaris, Dracunculus vulgaris (rarissime a livello nazionale); Utricularia vulgaris, Utricularia minor, Azolla filiculoides, Gnafalium luteo-album, Trifolium soffocatum ed Elatine alsinastrum (rare a livello nazionale), Nymphaea alba, Salvinia natans, Iris pseudacorus, Spirodela polyrrhiza e Lemna trislca (rare o minacciate a livello regionale). Tra la fauna, oltre alla numerosissima ornitofauna acquatica, da segnalare anche Ferrissia wautieri (rara), Potamon fluviatile fluviatile (in via di progressiva rarefazione), fra i Tricotteri Agrypnia varia, Ceraclea fulva, Glyptotaelius pellucidus, Oecetis lacustris (specie rare), Leuciscus cephalus (specie autoctona), Triturus vulgaris meridionalis (specie vulnerabile) e la Talpa sp. (importante in Umbria per la fascia di sovrapposizione di areale tra la Talpa romana e la Talpa europaea).

4.3 Threats, pressures and activities with impacts on the site

4.4 Ownership (optional)

| | | |
|-----------------------|------------------|-----|
| Type | | [%] |
| Public | National/Federal | 0 |
| | State/Province | 0 |
| | Local/Municipal | 0 |
| | Any Public | 95 |
| Joint or Co-Ownership | | 0 |
| Private | | 5 |
| Unknown | | 0 |
| sum | | 100 |

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| | | | | | |
|------|-----------|------|-----------|------|-----------|
| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
| IT07 | 5.0 | IT04 | 100.0 | IT11 | 5.0 |
| IT13 | 3.0 | | | | |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Type | Cover [%] |
|-----------|----------------------|------|-----------|
| IT04 | Lago Trasimeno (ZPS) | - | |
| IT07 | Lago Trasimeno (ZPS) | - | |
| IT13 | Lago Trasimeno (ZPS) | - | |
| IT11 | Lago Trasimeno (ZPS) | - | |

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|----------------|
| Organisation: | Regione Umbria |
| Address: | |
| Email: | |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|---|----------------------|
| <input checked="" type="checkbox"/> Yes | Name: DGR N. 92/2012 |
| | Link: |
| <input type="checkbox"/> No, but in preparation | |
| <input type="checkbox"/> No | |

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

| | |
|-------------|--|
| INSPIRE ID: | |
|-------------|--|

Map delivered as PDF in electronic format (optional)

☐ Yes ☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

122 III° NE - 122 II 1:25000 Gauss-Boaga