



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT5210029

SITENAME Boschi e brughiere di Cima Farneto - Poggio Fiorello (Mugnano)

## TABLE OF CONTENTS

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- 5. SITE PROTECTION STATUS
- 6. SITE MANAGEMENT
- 7. MAP OF THE SITE

## 1. SITE IDENTIFICATION

1.1 Type	1.2 Site code	<a href="#">Back to top</a>
B	IT5210029	

### 1.3 Site name

Boschi e brughiere di Cima Farneto - Poggio Fiorello (Mugnano)
--

1.4 First Compilation date	1.5 Update date
1995-06	2022-12

### 1.6 Respondent:

Name	Regione Umbria Direzione Agricoltura e Foreste Servizio XI Promozione e Valorizzazione Sistemi Naturalistici e
/Organisation:	Paesaggistici
Address:	Via M. Angeloni - 06124 Perugia
Email:	

### 1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2014-08
National legal reference of SAC designation:	DM 07/08/2014 - G.U. 194 del 22-08-2014

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

Longitude 12.191389

Latitude 43.053056

[Back to top](#)

2.2 Area [ha]:

384.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name
ITE2	Umbria

2.6 Biogeographical Region(s)

Mediterranean (100.0 %)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
4030			0.38			B	C	B	B
91M0			249.6			B	C	B	B
9340			11.52			C	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A086	<a href="#">Accipiter nisus</a>								DD				
B	A324	<a href="#">Aegithalos caudatus</a>								DD				
B	A247	<a href="#">Alauda arvensis</a>								DD				
B	A110	<a href="#">Alectoris rufa</a>								DD				
B	A257	<a href="#">Anthus pratensis</a>								DD				
B	A226	<a href="#">Apus apus</a>								DD				
B	A218	<a href="#">Athene noctua</a>			p				P	DD				
B	A087	<a href="#">Buteo buteo</a>			p				P	DD				
M	1352	<a href="#">Canis lupus</a>			p				V	DD	D			
B	A224	<a href="#">Caprimulgus europaeus</a>			r				P	DD	C	B	C	C
B	A364	<a href="#">Carduelis carduelis</a>								DD				

[illegible]



M		<a href="#">Mustela nivalis</a>						P					X	
M	1358	<a href="#">Mustela putorius</a>						P		X				
M	1314	<a href="#">Myotis daubentonii</a>						P	X					
M	1331	<a href="#">Nyctalus leisleri</a>						P	X					
B	A621	<a href="#">Passer italiae</a>						P					X	
M	2016	<a href="#">Pipistrellus kuhlii</a>						P	X					
M	1309	<a href="#">Pipistrellus pipistrellus</a>						P	X					
M	1329	<a href="#">Plecotus austriacus</a>						P	X					
R	1256	<a href="#">Podarcis muralis</a>						P	X					
R	1250	<a href="#">Podarcis siculus</a>						P	X					
A		<a href="#">Rana bergeri</a> / <a href="#">Rana klepton hispanica</a>						P					X	
A	1209	<a href="#">Rana dalmatina</a>						P	X					
M		<a href="#">Sciurus vulgaris</a>						P					X	
M		<a href="#">Sorex samniticus</a>						P					X	
M		<a href="#">Talpa romana</a>						P			X			
P		<a href="#">Teucrium siculum</a>						P						X
A		<a href="#">Triturus vulgaris</a>						P					X	
P		<a href="#">Tuberaria lignosa</a>						P						X
R		<a href="#">Vipera aspis</a>						P					X	
R	6091	<a href="#">Zamenis longissimus</a>						P	X				X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N21	2.0
N16	86.0
N23	1.0
N08	10.0
N10	1.0
Total Habitat Cover	100

#### Other Site Characteristics

Area con paleosuoli lisciviati, acidificati e mineralizzati, dove oltre agli habitat segnalati ed attribuiti alle associazioni Danthonio-Callunetum ed Hieracio racemosi-Quercetum petraeae (9190), è presente lungo le linee di ruscellamento primaverile, l'associazione Oenanthe pimpinelloides-Linetum biennis.

### 4.2 Quality and importance

Il sito racchiude uno degli ultimi lembi di bosco planiziale acidofilo dell'Umbria e del Italia centrale. Questa cenosi, inquadrabile nel Quercion robori-petraeae è tipica dell'Europa centrale ed in Umbria si trova al limite meridionale del suo areale e pertanto assume un notevole interesse fitogeografico e naturalistico. Molto importanti sono poi le cenosi di sostituzione quali: brughiere a Calluna vulgaris; aggruppamenti a Molinia caerulea; vegetazione dei ruscelli primaverili dell'Oenanthe pimpinelloides-Linetum biennis. Tra le specie floristiche presenti

spiccano Tuberaria legnosa, rarissima a livello nazionale, Calluna vulgaris, di interesse fitogeografico e Malus florentina, rara a livello regionale.. Tra la fauna da segnalare anche la presenza del Buteo buteo del Falco tinnunculus e della Sylvia melanocephala (specie poco comuni).

4.3 Threats, pressures and activities with impacts on the site

4.4 Ownership (optional)

Type		[%]
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	0
Joint or Co-Ownership		0
Private		100
Unknown		0
sum		100

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]
IT13	100.0	IT11	95.0

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT11	Monti Marzolana - Montali	/	
IT13	Monti Marzolana - Montali	/	

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Regione Umbria
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: DGR N. 1235/2011
	Link: <input type="text"/>
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐ Yes ☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

122 III° SE Carta To 1:25000 Gauss-Boaga