



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT5210033

SITENAME Boschi Sereni - Torricella (San Biagio della Valle)

## TABLE OF CONTENTS

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- 5. SITE PROTECTION STATUS
- 6. SITE MANAGEMENT
- 7. MAP OF THE SITE

## 1. SITE IDENTIFICATION

1.1 Type	1.2 Site code	<a href="#">Back to top</a>
B	IT5210033	

### 1.3 Site name

Boschi Sereni - Torricella (San Biagio della Valle)
---

1.4 First Compilation date	1.5 Update date
1995-06	2022-12

### 1.6 Respondent:

Name	Regione Umbria Direzione Agricoltura e Foreste Servizio XI Promozione e Valorizzazione Sistemi Naturalistici e
/Organisation:	Paesaggistici
Address:	Via M. Angeloni - 06124 Perugia
Email:	

### 1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2014-08
National legal reference of SAC designation:	DM 07/08/2014 - G.U. 194 del 22-08-2014

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

Longitude 12.295556

Latitude 43.029444

[Back to top](#)

2.2 Area [ha]:

421.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name
ITE2	Umbria

2.6 Biogeographical Region(s)

Mediterranean (100.0 %)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
6420			0.42			B	C	B	B
91M0			172.61			A	C	B	A

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A324	<a href="#">Aegithalos caudatus</a>								DD				
B	A247	<a href="#">Alauda arvensis</a>								DD				
B	A087	<a href="#">Buteo buteo</a>			p				P	DD				
B	A364	<a href="#">Carduelis carduelis</a>								DD				
I	1088	<a href="#">Cerambyx cerdo</a>			p				P	DD	C	B	C	B
B	A335	<a href="#">Certhia brachydactyla</a>								DD				
B	A208	<a href="#">Columba palumbus</a>			c				P	DD	C	B	C	A
B	A349	<a href="#">Corvus corone</a>								DD				
B	A347	<a href="#">Corvus monedula</a>								DD				
B	A212	<a href="#">Cuculus canorus</a>								DD				
B	A483	<a href="#">Cyanistes caeruleus</a>								DD				
B	A237	<a href="#">Dendrocopos major</a>			p				P	DD				

B	A269	<a href="#">Erithacus rubecula</a>							DD				
B	A359	<a href="#">Fringilla coelebs</a>							DD				
B	A125	<a href="#">Fulica atra</a>							DD				
B	A342	<a href="#">Garrulus glandarius</a>							DD				
B	A251	<a href="#">Hirundo rustica</a>							DD				
I	1083	<a href="#">Lucanus cervus</a>			p			P	DD	C	B	C	B
B	A271	<a href="#">Luscinia megarhynchos</a>			r			P	DD	C	B	C	B
M	1307	<a href="#">Myotis blythii</a>			p			P	DD	D			
M	1316	<a href="#">Myotis capaccinii</a>			p			P	DD	D			
M	1321	<a href="#">Myotis emarginatus</a>			p			P	DD	D			
M	1324	<a href="#">Myotis myotis</a>			p			P	DD	D			
B	A337	<a href="#">Oriolus oriolus</a>			r			P	DD	C	B	C	B
B	A330	<a href="#">Parus major</a>							DD				
B	A115	<a href="#">Phasianus colchicus</a>							DD				
B	A572	<a href="#">Phylloscopus collybita</a>			r			P	DD	C	A	C	B
B	A343	<a href="#">Pica pica</a>							DD				
B	A866	<a href="#">Picus viridis</a>			p			P	DD				
B	A318	<a href="#">Regulus ignicapilla</a>							DD				
B	A317	<a href="#">Regulus regulus</a>							DD				
A	1175	<a href="#">Salamandrina terdigitata</a>			p			P	DD	D			
B	A276	<a href="#">Saxicola torquatus</a>							DD				
B	A155	<a href="#">Scolopax rusticola</a>							DD				
B	A361	<a href="#">Serinus serinus</a>							DD				
B	A332	<a href="#">Sitta europaea</a>							DD				
B	A209	<a href="#">Streptopelia decaocto</a>							DD				
B	A210	<a href="#">Streptopelia turtur</a>			r			P	DD	C	B	C	B
B	A219	<a href="#">Strix aluco</a>			p			P	DD				
B	A351	<a href="#">Sturnus vulgaris</a>							DD				
B	A311	<a href="#">Sylvia atricapilla</a>							DD				
R	1217	<a href="#">Testudo hermanni</a>			p			P	DD	D			
A	1167	<a href="#">Triturus carnifex</a>			p			P	DD	D			
B	A265	<a href="#">Trogodytes troglodytes</a>							DD				
B	A283	<a href="#">Turdus merula</a>							DD				
B	A232	<a href="#">Upupa epops</a>			r			P	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

[illegible]

Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
R		<a href="#">Anguis fragilis</a>						P					X	
A		<a href="#">Bufo bufo</a>						P					X	
A	6962	<a href="#">Bufotes viridis Complex</a>						P	X					
P		<a href="#">Calluna vulgaris</a>						P						X
M		<a href="#">Erinaceus europaeus</a>						P					X	
M	1363	<a href="#">Felis silvestris</a>						P	X					
R	5670	<a href="#">Hierophis viridiflavus</a>						P					X	
M	5365	<a href="#">Hypsugo savii</a>						P					X	
M	1344	<a href="#">Hystrix cristata</a>						P	X					
R	5179	<a href="#">Lacerta bilineata</a>						P					X	
M		<a href="#">Lepus europaeus / corsicanus</a>						P					X	
P		<a href="#">Malosorbus florentina</a>						P						X
M		<a href="#">Martes foina</a>						P					X	
M		<a href="#">Meles meles</a>						P					X	
M	1341	<a href="#">Muscardinus avellanarius</a>						P	X					
M		<a href="#">Mustela nivalis</a>						P					X	
M	1358	<a href="#">Mustela putorius</a>						P		X				
M	1314	<a href="#">Myotis daubentonii</a>						P	X					
R		<a href="#">Natrix natrix</a>						P					X	
M	1331	<a href="#">Nyctalus leisleri</a>						P	X					
B	A621	<a href="#">Passer italiae</a>						P				X		
M	2016	<a href="#">Pipistrellus kuhlii</a>						P	X					
M	1309	<a href="#">Pipistrellus pipistrellus</a>						P	X					
M	1329	<a href="#">Plecotus austriacus</a>						P	X					
R	1256	<a href="#">Podarcis muralis</a>						P	X					
R	1250	<a href="#">Podarcis siculus</a>						P	X					
P		<a href="#">Quercus frainetto</a>						P						X
A		<a href="#">Rana bergeri / Rana klepton hispanica</a>						P					X	
M		<a href="#">Sciurus vulgaris</a>						P					X	
M		<a href="#">Sorex samniticus</a>						P					X	
A		<a href="#">Speleomantes italicus</a>						P	X					
M		<a href="#">Talpa romana</a>						P			X			
P		<a href="#">Teucrium siculum</a>						P				X		
P		<a href="#">Tuberaria lignosa</a>						P						X
R		<a href="#">Vipera aspis</a>						P					X	
R	6091	<a href="#">Zamenis longissimus</a>						P	X				X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present

- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N16	90.0
N23	1.0
N12	8.0
N10	1.0
Total Habitat Cover	100

#### Other Site Characteristics

Modesta area collinare con substrato costituito da depositi lacustri villafranchiani ricoperta quasi totalmente da fustaie di Quercus cerris con Quercus frainetto e Quercus petraea. Nel sottobosco si associano sclerofille sempreverdi con elementi caducifogli collinari che, nell'insieme, avvicinano questi boschi a quelli del Teucro siculi-Quercion cerridis.

### 4.2 Quality and importance

Il sito comprende boschi a Quercus frainetto posti in corrispondenza del limite nord-orientale di distribuzione nella penisola italiana, e perciò di grande valore fitogeografico. Notevole è anche l'importanza floristica per la presenza, oltre alle endemiche, di specie: rare a livello nazionale (Tuberaria lignosa); rare a livello regionale (Malus florentina) e di particolare interesse fitogeografico (Calluna vulgaris). Per la fauna si segnala anche Buteo buteo (specie poco comune).

### 4.3 Threats, pressures and activities with impacts on the site

### 4.4 Ownership (optional)

Type		[%]
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	0
Joint or Co-Ownership		0
Private		100
Unknown		0
sum		100

### 4.5 Documentation

## 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

### 5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT13	100.0	IT11	70.0		

### 5.2 Relation of the described site with other sites:

### 5.3 Site designation (optional)

## 6. SITE MANAGEMENT

[Back to top](#)

### 6.1 Body(ies) responsible for the site management:

Organisation:	Regione Umbria
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: DGR N. 1236/2011
	Link: <div></div>
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐ Yes

☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

122 II° SO Carta Top 1:25000 Gauss-Boaga