



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT5210056
SITENAME Monti lo Stiglio - Pagliaro

TABLE OF CONTENTS

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- 5. SITE PROTECTION STATUS
- 6. SITE MANAGEMENT
- 7. MAP OF THE SITE

1. SITE IDENTIFICATION

| | | |
|----------|---------------|-----------------------------|
| 1.1 Type | 1.2 Site code | Back to top |
| B | IT5210056 | |

1.3 Site name

| |
|-----------------------------|
| Monti lo Stiglio - Pagliaro |
|-----------------------------|

| | |
|----------------------------|-----------------|
| 1.4 First Compilation date | 1.5 Update date |
| 1995-06 | 2022-12 |

1.6 Respondent:

| | |
|----------------|--|
| Name | Regione Umbria Direzione Agricoltura e Foreste Servizio XI Promozione e Valorizzazione Sistemi Naturalistici e |
| /Organisation: | Paesaggistici |
| Address: | Via M. Angeloni - 06124 Perugia |
| Email: | |

1.7 Site indication and designation / classification dates

| | |
|--|---|
| Date site classified as SPA: | 0000-00 |
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 1995-06 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2014-08 |
| National legal reference of SAC designation: | DM 07/08/2014 - G.U. 194 del 22-08-2014 |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

Longitude 12.932222
Latitude 42.794722

[Back to top](#)

2.2 Area [ha]:

1004.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

| NUTS level 2 code | Region Name |
|-------------------|-------------|
| ITE2 | Umbria |

2.6 Biogeographical Region(s)

Mediterranean (100.0 %)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 5110 | | | 1.0 | | | A | B | A | B |
| 5130 | | | 91.36 | | | A | C | B | A |
| 6210 | | | 110.44 | | | A | C | A | A |
| 9210 | | | 1.0 | | | D | | | |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | | Site assessment | | | |
|---------|------|-------------------------------------|---|----|------------------------|------|-----|------|------|----------|-----------------|-------|------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D. qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A086 | Accipiter nisus | | | r | | | | P | DD | | | | |
| B | A324 | Aegithalos caudatus | | | r | | | | P | DD | | | | |
| B | A247 | Alauda arvensis | | | r | | | | P | DD | C | A | C | A |
| B | A255 | Anthus campestris | | | r | | | | V | DD | C | C | A | C |
| B | A226 | Apus apus | | | r | | | | P | DD | | | | |
| B | A091 | Aquila chrysaetos | | | p | | | | V | DD | C | B | C | B |
| B | A218 | Athene noctua | | | r | | | | P | DD | | | | |
| B | A215 | Bubo bubo | | | r | | | | P | DD | C | B | C | A |
| B | A087 | Buteo buteo | | | r | | | | P | DD | | | | |
| M | 1352 | Canis lupus | | | p | | | | P | DD | C | B | C | B |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|---|---|---|---|---|----|---|---|---|---|
| B | A224 | Caprimulgus europaeus | | | r | | | | P | DD | C | A | C | A |
| B | A364 | Carduelis carduelis | | | r | | | | P | DD | | | | |
| I | 1088 | Cerambyx cerdo | | | p | | | | C | DD | C | B | C | B |
| B | A363 | Chloris chloris | | | r | | | | P | DD | | | | |
| B | A080 | Circaetus gallicus | | | r | 1 | 5 | p | | G | C | C | B | B |
| B | A208 | Columba palumbus | | | r | | | | P | DD | C | A | C | A |
| B | A349 | Corvus corone | | | r | | | | P | DD | | | | |
| B | A347 | Corvus monedula | | | r | | | | P | DD | | | | |
| B | A113 | Coturnix coturnix | | | r | | | | P | DD | | | | |
| B | A212 | Cuculus canorus | | | r | | | | P | DD | C | A | C | A |
| B | A483 | Cyanistes caeruleus | | | r | | | | P | DD | | | | |
| B | A738 | Delichon urbicum | | | r | | | | P | DD | | | | |
| B | A237 | Dendrocopos major | | | r | | | | P | DD | | | | |
| B | A383 | Emberiza calandra | | | r | | | | P | DD | | | | |
| B | A377 | Emberiza cirius | | | r | | | | P | DD | | | | |
| B | A269 | Erithacus rubecula | | | r | | | | P | DD | | | | |
| B | A103 | Falco peregrinus | | | p | | | | P | DD | C | B | C | C |
| B | A103 | Falco peregrinus | | | r | 1 | 5 | p | | G | C | B | C | C |
| B | A359 | Fringilla coelebs | | | r | | | | P | DD | | | | |
| B | A342 | Garrulus glandarius | | | r | | | | P | DD | C | A | C | A |
| B | A251 | Hirundo rustica | | | r | | | | P | DD | | | | |
| B | A233 | Jynx torquilla | | | r | | | | P | DD | C | B | C | B |
| B | A338 | Lanius collurio | | | r | | | | P | DD | C | B | C | B |
| B | A476 | Linaria cannabina | | | r | | | | P | DD | | | | |
| I | 1083 | Lucanus cervus | | | p | | | | C | DD | C | B | C | B |
| B | A246 | Lullula arborea | | | p | | | | P | DD | C | B | C | B |
| B | A246 | Lullula arborea | | | w | | | | P | DD | C | B | C | B |
| B | A246 | Lullula arborea | | | r | | | | P | DD | C | B | C | B |
| B | A271 | Luscinia megarhynchos | | | r | | | | P | DD | | | | |
| M | 1310 | Miniopterus schreibersii | | | p | | | | P | DD | C | B | C | C |
| B | A281 | Monticola solitarius | | | r | | | | P | DD | | | | |
| B | A262 | Motacilla alba | | | r | | | | P | DD | | | | |
| B | A277 | Oenanthe oenanthe | | | r | | | | P | DD | C | A | C | A |
| B | A337 | Oriolus oriolus | | | r | | | | P | DD | C | A | C | A |
| B | A330 | Parus major | | | r | | | | P | DD | | | | |
| B | A473 | Periparus ater | | | r | | | | P | DD | | | | |
| B | A072 | Pernis apivorus | | | r | | | | P | DD | C | B | B | C |
| B | A115 | Phasianus colchicus | | | r | | | | P | DD | | | | |
| B | A273 | Phoenicurus ochruros | | | r | | | | P | DD | | | | |
| B | A499 | Phylloscopus bonelli | | | r | | | | P | DD | | | | |
| B | A572 | Phylloscopus collybita | | | r | | | | P | DD | | | | |
| B | A866 | Picus viridis | | | r | | | | P | DD | | | | |
| B | A493 | Poecile palustris | | | r | | | | P | DD | | | | |
| B | A250 | Ptyonoprogne rupestris | | | r | | | | P | DD | | | | |
| B | A372 | Pyrrhula pyrrhula | | | r | | | | P | DD | | | | |
| M | 1304 | Rhinolophus ferrumequinum | | | p | | | | P | DD | B | C | B | B |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|---|--|--|--|---|----|---|---|---|---|
| M | 1303 | Rhinolophus hipposideros | | | p | | | | P | DD | B | C | B | B |
| B | A276 | Saxicola torquatus | | | r | | | | P | DD | | | | |
| B | A361 | Serinus serinus | | | r | | | | P | DD | | | | |
| B | A332 | Sitta europaea | | | r | | | | P | DD | C | A | C | A |
| B | A210 | Streptopelia turtur | | | r | | | | P | DD | C | B | C | B |
| B | A219 | Strix aluco | | | r | | | | P | DD | | | | |
| B | A311 | Sylvia atricapilla | | | r | | | | P | DD | | | | |
| B | A304 | Sylvia cantillans | | | r | | | | P | DD | | | | |
| B | A570 | Sylvia hortensis | | | r | | | | P | DD | | | | |
| R | 1217 | Testudo hermanni | | | p | | | | P | DD | D | | | |
| B | A265 | Trogodytes troglodytes | | | r | | | | P | DD | | | | |
| B | A283 | Turdus merula | | | r | | | | P | DD | | | | |
| B | A287 | Turdus viscivorus | | | r | | | | P | DD | | | | |
| B | A232 | Upupa epops | | | r | | | | P | DD | | | | |
| M | 1354 | Ursus arctos | | | p | | | | P | DD | D | | | |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|--|---|----|------------------------|-----|------|---------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| A | | Bufo bufo | | | | | | P | | | | | X | |
| M | | Capreolus capreolus | | | | | | P | | | | | X | |
| M | | Clethrionomys glareolus | | | | | | P | | | | | X | |
| M | | Crocidura leucodon | | | | | | P | | | | | X | |
| M | | Erinaceus europaeus | | | | | | P | | | | | X | |
| M | 1363 | Felis silvestris | | | | | | P | X | | | | | |
| R | 5670 | Hierophis viridiflavus | | | | | | P | | | | | X | |
| M | 1344 | Hystrix cristata | | | | | | P | X | | | | | |
| R | 5179 | Lacerta bilineata | | | | | | P | | | | | X | |
| M | | Lepus europaeus | | | | | | P | | | | | X | |
| M | | Martes foina | | | | | | P | | | | | X | |
| M | | Meles meles | | | | | | P | | | | | X | |
| M | | Microtus savii | | | | | | P | | | | | X | |
| M | 1341 | Muscardinus avellanarius | | | | | | P | X | | | | | |
| R | | Natrix natrix | | | | | | P | | | | | X | |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|--|--|--|---|---|--|---|--|---|--|
| B | A621 | Passer italiae | | | | | | P | | | | | X | |
| R | 1256 | Podarcis muralis | | | | | | P | X | | | | | |
| R | 1250 | Podarcis siculus | | | | | | P | X | | | | | |
| A | | Rana bergeri/Rana klepton hispanica | | | | | | P | | | | | X | |
| M | | Sciurus vulgaris | | | | | | P | | | | | X | |
| M | | Sorex samniticus | | | | | | P | | | X | | | |
| A | | Speleomantes italicus | | | | | | P | X | | | | | |
| R | | Vipera aspis | | | | | | P | | | | | X | |
| R | 6091 | Zamenis longissimus | | | | | | P | X | | | | X | |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|---------------------|---------|
| N12 | 7.0 |
| N09 | 20.0 |
| N18 | 2.0 |
| N16 | 50.0 |
| N23 | 1.0 |
| N08 | 20.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Rilievi di natura calcarea dove, oltre agli habitat segnalati con codice ed attribuiti ai Prunetalia spinosae (5130), all'Asperulo purpureae-Brometum erecti (6210) ed al Cephalanthero-Quercetum ilicis (9340), si rinvencono boschi di Ostrya carpinifolia inquadrati nello Scutellario-Ostryetum e di Quercus pubescens riferibili all'alleanza Quercion pubescentis-petraeae (91H0).

4.2 Quality and importance

Il valore di questo sito è connesso con: i boschi di Quercus pubescens e Carpinus orientalis, che raggiungono qui il limite interno appenninico di distribuzione; i pascoli dei Festuco-Brometalia; i cespuglieti a Juniperus communis tra i più estesi dell'Appennino umbro. In generale il sito rappresenta un buon campione della vegetazione termo-xerofila delle aree collinari appenniniche. Tra le entità floristiche, oltre alle endemiche, è di rilievo il Carpinus orientalis, di particolare interesse fitogeografico nell'Appennino umbro-marchigiano. Tra la fauna è staa segnalata anche Rana graeca (specie vulnerabile), Accipiter nisus (rara), Buteo buteo, Certhia brachydactyla, Falco tinnunculus e Montifringilla nivalis (poco comuni) e Lepus europaeus (elemento fondamentale nella catena alimentare dell'aquila reale).

4.3 Threats, pressures and activities with impacts on the site

4.4 Ownership (optional)

| Type | [%] |
|-----------------------|------------------|
| Public | National/Federal |
| | 0 |
| | State/Province |
| | 0 |
| | Local/Municipal |
| | 0 |
| | Any Public |
| | 60 |
| Joint or Co-Ownership | 0 |
| Private | 40 |
| | |

| | |
|---------|-----|
| Unknown | 0 |
| sum | 100 |

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT07 | 80.0 | IT13 | 100.0 | | |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Type | Cover [%] |
|-----------|-------------------------------------|------|-----------|
| IT13 | Gola del Corno - Stretta di Biselli | / | |
| IT07 | Gola del Corno - Stretta di Biselli | / | |
| IT13 | Valnerina (Nat-2000) | / | |
| IT07 | Valnerina (Nat-2000) | / | |

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|----------------|
| Organisation: | Regione Umbria |
| Address: | |
| Email: | |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|---|----------------------------|
| <input checked="" type="checkbox"/> Yes | Name: DGR N. 1450/2012 |
| | Link: <input type="text"/> |
| <input type="checkbox"/> No, but in preparation | |
| <input type="checkbox"/> No | |

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

| | |
|-------------|----------------------|
| INSPIRE ID: | <input type="text"/> |
|-------------|----------------------|

Map delivered as PDF in electronic format (optional)

☐ Yes ☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

| |
|--|
| 131 II° NE - 132 III 1:25000 Gauss-Boaga |
|--|

