



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT5210041
SITENAME Fiume Menotre (Rasiglia)

TABLE OF CONTENTS

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- 5. SITE PROTECTION STATUS
- 6. SITE MANAGEMENT
- 7. MAP OF THE SITE

1. SITE IDENTIFICATION

| | | |
|----------|---------------|-----------------------------|
| 1.1 Type | 1.2 Site code | Back to top |
| B | IT5210041 | |

1.3 Site name

| |
|--------------------------|
| Fiume Menotre (Rasiglia) |
|--------------------------|

| | |
|----------------------------|-----------------|
| 1.4 First Compilation date | 1.5 Update date |
| 1995-06 | 2024-12 |

1.6 Respondent:

| | |
|----------------|--|
| Name | Regione Umbria - Servizio Foreste, montagna, sistemi naturalistici e faunistica-venatoria - Sezione Aree protette e tutela e |
| /Organisation: | valorizzazione sistemi naturalistici |
| Address: | Via Mario Angeloni, 61 - 06124 Perugia |
| Email: | fgrohmann@regione.umbria.it - mgpossenti@regione.umbria.it |

1.7 Site indication and designation / classification dates

| | |
|--|---|
| Date site classified as SPA: | 0000-00 |
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 1995-10 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2014-08 |
| National legal reference of SAC designation: | DM 07/08/2014 - G.U. 194 del 22-08-2014 |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

Longitude 12.8496
Latitude 42.964265

[Back to top](#)

2.2 Area [ha]:

49.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

| NUTS level 2 code | Region Name |
|-------------------|-------------|
| ITE2 | Umbria |

2.6 Biogeographical Region(s)

Continental (100.0 %)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 3260 | | | 0.016 | | G | B | C | B | B |
| 6210 | | | 0.05 | | M | D | | | |
| 6430 | | | 0.98 | | G | B | C | C | B |
| 91L0 | | | 0.46 | | G | D | | | |
| 92A0 | | | 7.33 | | G | A | C | B | B |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | | Site assessment | | | |
|---------|------|---|---|----|------------------------|------|-----|------|------|----------|-----------------|-------|------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D. qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| I | 1092 | Austropotamobius pallipes | | | p | | | | P | DD | C | A | C | A |
| M | 1303 | Rhinolophus hipposideros | | | p | | | | P | DD | C | C | C | C |
| F | 5349 | Salmo cetti | | | p | | | | C | DD | C | B | C | B |
| R | 1217 | Testudo hermanni | | | p | | | | P | DD | D | | | |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|--|---|----|------------------------|-----|------|---------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| B | A229 | Alcedo atthis | | | | | | P | | | | | | X |
| R | | Anguis fragilis | | | | | | P | | | | | X | |
| I | | Aporia crataegi | | | | | | P | | | X | | | |
| M | | Capreolus capreolus | | | | | | P | | | | | X | |
| B | A224 | Caprimulgus europaeus | | | | | | P | | | | | | X |
| M | | Erinaceus europaeus | | | | | | P | | | | | X | |
| M | 1363 | Felis silvestris | | | | | | P | X | | | | | |
| R | 5670 | Hierophis viridiflavus | | | | | | P | X | | | | | |
| A | 5358 | Hyla intermedia | | | | | | P | X | | | | X | |
| M | 5365 | Hypsugo savii | | | | | | P | X | | | | X | |
| M | 1344 | Hystrix cristata | | | | | | P | X | | | | | |
| R | 5179 | Lacerta bilineata | | | | | | P | X | | | | X | |
| B | A338 | Lanius collurio | | | | | | P | | | | | | X |
| M | | Lepus europaeus / corsicanus | | | | | | P | | | | | X | |
| B | A246 | Lullula arborea | | | | | | P | | | | | | X |
| M | | Martes foina | | | | | | P | | | | | X | |
| M | | Meles meles | | | | | | P | | | | | X | |
| M | | Mustela nivalis | | | | | | P | | | | | X | |
| R | | Natrix natrix | | | | | | P | | | | | X | |
| R | 1292 | Natrix tessellata | | | | | | P | X | | | | | |
| M | 1331 | Nyctalus leisleri | | | | | | P | X | | | | | |
| M | 2016 | Pipistrellus kuhlii | | | | | | P | X | | | | | |
| M | 1309 | Pipistrellus pipistrellus | | | | | | P | X | | | | | |
| R | 1256 | Podarcis muralis | | | | | | P | X | | | | | |
| R | 1250 | Podarcis siculus | | | | | | P | X | | | | | |
| F | | Salmo trutta trutta | | | | | | P | | | X | | | |
| M | | Sciurus vulgaris | | | | | | P | | | | | X | |
| M | | Sorex samniticus | | | | | | P | | | X | | | |
| A | | Triturus vulgaris | | | | | | P | | | | | X | |
| R | | Vipera aspis | | | | | | P | | | | | X | |
| R | 6091 | Zamenis longissimus | | | | | | P | X | | | | X | |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)

- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|---------------------|---------|
| N06 | 88.0 |
| N10 | 2.0 |
| N16 | 9.0 |
| N23 | 1.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

L'area interessa il tratto alto del F. Menotre caratterizzato da apporti sorgivi consistenti (Sorgente di Rasiglia). Nelle acque è sviluppata, a nuclei, la vegetazione idrofittica, mentre le sponde a tratti sono ricche di specie ripariali basso ed alto arbustive.

4.2 Quality and importance

Il tratto del fiume compreso nel sito si distingue, dal punto di vista geobotanico, soprattutto per la presenza di una discreta vegetazione idrofittica e per il basso inquinamento delle acque. Tra la fauna è stata segnalata anche Cettia cetti (specie poco comune).

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|---------------------------------|--------------------------------|---------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |

| Positive Impacts | | | |
|------------------|----------------------------------|--------------------------------|----------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside /outside [i o b] |

Rank: H = high, M = medium, L = low
Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions
i = inside, o = outside, b = both

4.4 Ownership (optional)

| Type | | [%] |
|-----------------------|------------------|-----|
| Public | National/Federal | 0 |
| | State/Province | 0 |
| | Local/Municipal | 0 |
| | Any Public | 90 |
| Joint or Co-Ownership | | 0 |
| Private | | 10 |
| Unknown | | 0 |
| sum | | 100 |

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT13 | 100.0 | | | | |

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|---|
| Organisation: | Regione Umbria – Servizio Foreste, montagna, sistemi naturalistici e faunistica-venatoria – Sezione Aree protette e tutela e valorizzazione sistemi naturalistici |
| Address: | Via Mario Angeloni, 61 - 06124 Perugia |
| Email: | fgrohmann@regione.umbria.it - mgpossenti@regione.umbria.it |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|---|----------------------------|
| <input checked="" type="checkbox"/> Yes | Name: DGR N. 376/2012 |
| | Link: <input type="text"/> |
| <input type="checkbox"/> No, but in preparation | |
| <input type="checkbox"/> No | |

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

| | |
|-------------|----------------------|
| INSPIRE ID: | <input type="text"/> |
|-------------|----------------------|

Map delivered as PDF in electronic format (optional)

| | |
|------------------------------|--|
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
|------------------------------|--|

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

| |
|--|
| 131 I° NE Carta Topo 1:25000 Gauss-Boaga |
|--|